

MASSIVE MULTI-DAY WEBCAST AUCTIONS

Sale 1: September 23 & 24, 2026

Sale 2: June 2027

INSPECTION: September 21 & 22, 9am to 4pm CT, By Appointment
100 Hino Boulevard, Marion, Arkansas 72364



STATE-OF-THE-ART AXLE MANUFACTURING EQUIPMENT

ADVANCE NOTICE! ALL EQUIPMENT IS INSTALLED AND UNDER POWER



Over \$450 Million in Original Acquisition Cost • Most Equipment Acquired 2020–2024
State-of-the-Art Automotive Manufacturing Machinery and Equipment



\$26 MILLION NEW MRO INVENTORY

Sale schedule and specific dates can be found on the Maynards Sale Page at
<https://maynards.com/collections/current-auctions/products/hino-motors-manufacturing-u-s-a-inc-1>

For more information, contact customerervice@maynards.com

Place your bid on: **BidSpotter**

Maynards
SINCE 1902

INDUSTRIAL SOLUTIONS
AUCTIONS / LIQUIDATIONS
APPRAISAL SERVICES
EQUIPMENT FINANCE
ENERGY EXCHANGE
REAL ESTATE

17177 N. Laurel Park Drive, Suite 236
Livonia, MI 48152

248-569-9781 | maynards.com



STATE-OF-THE-ART AXLE MANUFACTURING FACILITY

Complete Automotive and Truck Rear Axle Manufacturing Lines Available

Lines will be Offered in Bulk and Piecemeal

CARRIER CASE LINE

All Lines Manufactured 2022-2025





STATE-OF-THE-ART AXLE MANUFACTURING FACILITY

Complete Automotive and Truck Rear Axle Manufacturing Lines Available

Lines will be Offered in Bulk and Piecemeal

HOUSING WELD LINE

All Lines Manufactured 2022-2025





STATE-OF-THE-ART AXLE MANUFACTURING FACILITY

Complete Automotive and Truck Rear Axle Manufacturing Lines Available

Lines will be Offered in Bulk and Piecemeal

SHAFT LINE

All Lines Manufactured 2022-2025





STATE-OF-THE-ART AXLE MANUFACTURING FACILITY

Complete Automotive and Truck Rear Axle Manufacturing Lines Available

Lines will be Offered in Bulk and Piecemeal

SHAFT LINE (Continued)

All Lines Manufactured 2022-2025



For Further Information Email: customerservice@maynards.com

Place your bid on: **BidSpotter**



STATE-OF-THE-ART AXLE MANUFACTURING FACILITY

Complete Automotive and Truck Rear Axle Manufacturing Lines Available

Lines will be Offered in Bulk and Piecemeal

ASSEMBLY LINES

All Lines Manufactured 2022-2025





STATE-OF-THE-ART AXLE MANUFACTURING FACILITY

Complete Automotive and Truck Rear Axle Manufacturing Lines Available

(360+) ROBOTS – WELDING AND MATERIAL HANDLING, 2020-2024

- (265) Fanuc Robots, 2020-2024
- (80) Robotic Welding Cells, 2020-2023
- (145) Fanuc Arc Mate 100iD Welding Robots, 2020-2022, 6-axis, 26.4-lb payload capacity, 56.7" maximum reach, Fanuc system R-30iB plus controls with Miller model Auto-Continuum 500 welding power supply, rated output @ 100% duty cycle: 500-amps & 40-volts, robot wire feeder
- (86) Fanuc 2 R-2000iD-210FH Material Handling Robots, 2020-2023, 6-axis, 463-lb payload capacity, 102.5" maximum reach, Fanuc system R-30iB plus controls
- (23) Fanuc R-1000iA-100F Material Handling Robots, 2020-2023, 6-axis, 220-lb payload capacity, 87.7" maximum reach, Fanuc system R-30iB plus controls
- (11) Fanuc M-710iC Material Handling Robots, 2022, Fanuc system R-30iB plus controls
- (100+) Fanuc A05B-1229-J101 Single Axis Welding Positioners
- (2) Obara DN-55 Spot Welders, 55-KVA, Bowl Feeder, Chiller (2020)
- (5) Obara SRTC-16957/L Robot Mounted Spot Welders, As Late As 2023, 70-KVA
- (3) Daihen SL-AJSP Spot Welders, 55-KVA, SMC Chiller, Bowl Feeder
- (3) VECCL VM1211 Air Pen Marking Machines, 80mm x 30mm Marking Range
- (3) AdapTek A4159 Axle Shaft Laser Marking Machines, 2023
- AdapTek A4246 Axle Shaft Laser Marking Machine
- Omron MX-Z2050H-V1 Fiber Laser Marking Machine, 160mm x 160mm Marking Area
- 100s of Miller Auto-Continuum Welding Power Supplies, 2017-2024
- Miller Dynasty 350s
- Miller XMT350s
- Miller Deltaweld 350s
- Lincoln R3R-400s



Housing Weld Line



Housing Weld Line

CNC CYLINDRICAL GRINDERS

- (3) Okuma GA-36F II CNC Cylindrical Grinders, 2022-2023, 12.9" swing, 59.05" distance between centers, 11.81" maximum grinding diameter, 24" x 6" grinding wheel capacity, 25 to 600-rpm main & work spindle speeds, Okuma OSP-P300GA CNC controls, coolant

HEAT TREAT TO 2024

- (3) Ajax Tocco Pacer - T 2-stage Induction Heaters, 2023 & 2024, 3-Spindle Machine, Hardening & Tempering Stages
- Lucifer 42-T36 Electric Draw Furnace, 30" x 30" x 36" Chamber
- L&L Special GS1714 Heat Treat Furnace, 2350F Temperature, 12" x 14" x 12" Chamber

Place your bid on: **BidSpotter**

For Further Information Email: customerservice@maynards.com



STATE-OF-THE-ART AXLE MANUFACTURING FACILITY

Complete Automotive and Truck Rear Axle Manufacturing Lines Available

(27) CNC MACHINING AND TURNING CENTERS, (AS LATE AS 2024)

- (4) **Okuma MA-500H II CNC Horizontal Machining Centers, 2023-2024**, (2) 19.69" x 19.69" Pallets, 27.56" X-Travel, 35.43" Y-Travel, 30.71" Z-Travel, 1.97" to 37.40" Spindle Center to Pallet Top, 2.76" to 33.46" Spindle Nose to Pallet Center, 50-Taper Spindle, 50 to 6,000-Rpm Standard Spindle Speed, 60-Tool Automatic Tool Changer, Okuma OSP-P300MA CNC Controls, MP VR-Series High Pressure Coolant, LNS Chip Conveyor, Automatic Pallet Changer
- (6) **Okuma Millac 44H II CNC Horizontal Machining Center, 2022-2023**, Single Custom Shaft Holding Table, 22.05" X-Travel, 16.14" Y-Travel, 16.14" Z-Travel, 40-Taper Spindle, 12,000-RPM Standard Spindle Speed, 24-Tool Automatic Tool Changer, Okuma OSP-P300MA CNC Controls, MP Systems, High Pressure Coolant, Chip Conveyor
- (2) **Okuma V760EX CNC Vertical Turning Center, 2022**, 29.92" Maximum Turning Diameter, 31.50" Maximum Swing, 24.02" Swing On Carriage, 30.31" Maximum Work Height, 1,100-Lb Maximum Workpiece Weight With Chuck, 15.35" X-Travel, 30.31" Z-Travel, 360-Degree C-Axis, 2,000-RPM Spindle, 24" Chuck, 12-Position Turret With 4,000-RPM Live Tool Stations, Okuma OSP-P300LA CNC Controls, Exomist HPM1000 Mist Collector, MP Systems R-Series High Pressure Coolant, Chip Conveyor
- **Haas VM-3 CNC Vertical Machining Center, 2012**, 54" X 24" Table, 40" x 26" x 25" Travels, CAT-40 Spindle, 12,000-RPM, 24-Tool ATC, Haas CNC Controls, Tool Probing, Chip Auger
- (14) **Okuma LU3000EX (2SC1000) CNC Turning Centers, 2022-2023**, 4-Axis Machine, Twin Turret Type, 22.84" Swing Over Bed, 39.37" Maximum Working Length, 16.14" Maximum Turning Diameter (Upper Turret), 9.84" Maximum Turning Diameter (Lower Turret), 10.24" X-Travel (Upper), 42.72" Z-Travel (Upper), 6.30" X-Travel (Lower), 39.96" Z-Travel (Lower), 5,000-RPM Spindle, 12-Position Upper Turret, 8-Position Lower Turret, Okuma OSP-P300LA CNC Controls, High Pressure Coolant, Chip Conveyor, Approximately 18,500-Lbs



OKUMA MA-500H II CNC Horizontal Machining Center



HAAS VM-3 CNC Vertical Machining Center

(23) PARTS WASHERS, 2023-2024

- (3) **Almco PWB5-5-48E Heated Conveyor Washers, As Late As 2023**, Allen-Bradley touchscreen controls
- (2) **Almco RTWB-20E Heated Cabinet Washers, CIRCA 2023**, top loading type, 20" diameter turntable, estimated 12" maximum height capacity, Allen-Bradley touchscreen controls
- **Almco RCWB-72E Heated 72" Cabinet Parts Washer, CIRCA 2024**, turntable type, 72" diameter table
- (8) **Nikko Create Custom Rear Axle Housing Heated Automatic Washers**, Overhead Loading System, Auto Doors, Mitsubishi GOT2000 Touchscreen Controls, (4-Tundra & 4-Tacoma)
- (3) **Nikko Lavage Type Axle Shaft Heated Washers**, Automatic Door
- **Almco Housing Strip Tank**

(26) SHAFT SPLINE ROLLERS & STRAIGHTENERS TO 2023

- (4) **Anderson-Cook 340-E Shaft Spline Rollers, As Late As 2023**
- (3) **Kokusai FASC-S20C-33 Automatic Shaft Straighteners, As Late As 2023**, Pro-Face touchscreen controls, safety fencing, light curtains
- (5) **Shibaoka CNC Rear Axle Housing Pneumatic Press Formers**, 3-Ton Capacity (2-Tundra & 3-Tacoma)
- (5) **Dai-Ichi Custom Horizontal Rear Axle Housing End Press Stations**, 50-kN Force, 200-mm Stroke (2-Tundra & 3-Tacoma)
- (5) **Towa Seiki ASP250x320LVD-200CB Automatic Custom Rear Axle Housing Hydraulic Straightening Presses**, Touchscreen Controls
- **Towa Seiki ASP160LVD-20CCA Automatic Rear Axle Housing Straightening Cells**, Pick-And-Place Load/Unload, Conveyors
- (3) **Towa-Seiki ASP250LCD-150A Automatic Shaft Hydraulic Straightening Presses**, Touchscreen Controls

Place your bid on: **BidSpotter**

For Further Information Email: customerservice@maynards.com



STATE-OF-THE-ART AXLE MANUFACTURING FACILITY

Complete Automotive and Truck Rear Axle Manufacturing Lines Available

CUSTOM & PRODUCTION CNC MACHINING & TURNING CENTERS

- (5) SKG Custom Designed & Built CNC Tacoma Carrier Drilling & Tapping Machines, (4) 10-Position Indexing Turrets, Fanuc Series Oi-MF CNC Controls
- (4) SKG Custom Designed & Built CNC Tundra Carrier Drilling & Tapping Machines, (4) 13-Position Indexing Turrets, Fanuc Series Oi-MF CNC Controls
- (5) SKG Custom Designed & Built CNC Tacoma Carrier Facing & Tube Boring Machines, As Late As 2023, Fanuc Series 35i-Model B CNC Controls
- (4) SKG Custom Designed & Built CNC Tacoma Carrier Facing & Tube Boring Machines, Fanuc Series 35i-Model B CNC Controls
- (6) Enshu JE50S Production CNC Horizontal Machining Centers, 2004 to 2005, 500mm x 500mm x 500mm Travels, Nikken Rotary Table, Fanuc Series 18i-MB Control, (Tundra)
- (4) Enshu JE50S Production CNC Horizontal Machining Centers, 2004 to 2005, 500mm x 500mm x 500mm Travels, Fanuc Power Mate Controls, (Tundra)
- (4) Enshu Custom CNC Side Gear Facing Machining Centers, Fanuc Power Mate Controls, (Tundra)
- (6) Fuji TN-41TS1 Production CNC Turning Centers, 2004 & 2005, 10.4" X-Travel, 18.3" Z-Travel, 12-Position Turret, Fanuc Controls, (Tundra)
- (5) Fuji TN-41T1 Production CNC Turning Center, 2005, 10.4" X-Travel, 18.3" Z-Travel, 12-Position Turret, Fanuc Controls
- (4) Fuji MN Vertical Turning Centers, Fanuc Controls
- (9) Toyota TH555G5 Production CNC Horizontal Machining Centers, 2005 & 2006, Fixed Table Type, 500mm x 550mm x 530mm Travels, Fanuc Series 18i-MB Controls, (Tundra)
- (3) MidStates Industrial Group Custom CNC Axle Shaft Center Drilling & Face Milling Machines, As Late As 2023, Fanuc Series Oi-MF Controls
- Suntec Custom CNC Axle Shaft Center Drilling & Face Milling Machine, 2005, Fanuc Power Mate Controls
- Nissin NST-30/100 2TSC CNC 4-Axis Turning Center, As Late As 2021, 400mm Turning Diameter, 1,020mm Turning Length, 2-Turrets, Fanuc Series 18i-TB Controls
- SKG Custom CNC Tacoma Hub Bolt & Oil Release Drilling Machine, 14-Spindle Rotary Tool Slide, Fanuc Power Mate Controls
- SKG Custom CNC Axle Shaft Flange & Brake Drum Turning Center, 11-Spindle Type, Fanuc Power Mate Controls
- (2) SKG Custom CNC Tacoma Hub Bolt & Oil Release Drilling Machines, As Late As 2021, (2) 6-Spindle Rotary Tool Slides, Fanuc Power Mate Controls
- (3) SKG Custom CNC Tundra Hub Bolt & Oil Release Drilling Machines, Fanuc CNC Controls
- Fuji Custom CNC Tacoma Axle Shaft Facing & Center Drilling Machine, 2003, Fanuc CNC Controls
- (4) Fuji ANS-33TS CNC Turning Centers, 2003, 2-Spindle Type, 900mm Max. Part Length, Fanuc 18i-T Controls
- (2) SKG Custom CNC Rear Axle Housing End Finishing Machines, 2003, 2-Spindle Type, Fanuc CNC Controls
- (2) SKG Custom CNC Rear Axle Housing Drilling & Tapping Machines, 2003, (4) 10-Position Turrets, Fanuc CNC Controls
- (2) Spark Arrestors
- (3) Spark Coolers - Raptor Shield Spark Trap
- (4) Donaldson Line Robovent
- (2) Process Cooling Water Systems

ELECTRICAL DISTRIBUTION AND DUST COLLECTION SYSTEMS

- (3) Donaldson Torit DFE4-48 Downflo Evolution Dust Collectors, Late Model, 48-filters, 12,192 sq/ft filter area, Air Pro type BIHS402 blower, 150-hp, s/n 31143 (2024), operator platform with ladder
- Donaldson Torit DFE4-96 Downflo Evolution Dust Collector, Late Model, 96-filters, 24,384 sq/ft filter area, New York Blower type 44-ACF blower, 50,000-cfm, 200-hp, operator platform with stairs



Electrical Distribution



Electrical Distribution



DONALDSON TORIT Downflo Evolution Dust Collectors

4
Available

Building-related electrical distribution will remain with the building. Process and manufacturing electrical distribution will be offered in coordination with the facility shutdown.

Place your bid on: **BidSpotter**

For Further Information Email: customerservice@maynards.com

PRESSES AND PRESS LINES

- **Amino DRM1000 Center Reversing Type Die Spotting Press, 2006**, 1,000-kN x 700-kN (112-us ton x 78-us ton) rated cap, 1,300-mm (51.1") stroke, 2,000-mm (78.7") max daylight, 4,000-mm x 2,200-mm (157.4" x 86.6") table size, roll-in type table, light curtains, safety fencing, electrical cabinets, pit mounted
- **Hitachi Zosen Fukui (H&F) TFE25000 2,810-ton Transfer Press, (New 2005)**, straight side crankless top-drive type press, 25,000-kN (2,810-us ton) rated capacity, 800-mm (31.4") stroke, 250-mm (9.8") slide adjustment, (4) slide suspension points, 5,100-mm x 2,300-mm (200.7" x 90.5") slide area, (2) 5,100-mm x 2,300-mm (200.7" x 90.5") moving bolsters with hydraulic clamping, 1,300-mm (51.1") shut height, variable speed: 10 to 25-spm, (3) pneumatic counterbalances all with 480-mm x 1,580-mm pad area including the following capacities: 1-stage: 230-kN to 1,200-kN, 2 & 3-stage: 160-kN to 800-kN capacity, Pro-Face touchscreen controls, light curtains & safety caging throughout, belt feeder with gantry type sheet loader with magnetic lifter, automated part removal and part stacker, electrical cabinets, pit required. **Equipped with:** H&F Diestack feeder, 0.6-mm to 6.0-mm material thickness capacity, single row loading: 375-mm (180mm) x 150-mm (100mm) to 1,800-mm x 700-mm capacity, triple row loading: 375-mm x 150-mm to 500-mm x 700-mm capacity, 5,000-kg maximum stack weight, 20-kg single blank sheet capacity, 600-mm maximum stack height, 4-stacks maximum capacity
- **Hitachi Zosen Fukui (H&F) BFE13000 1,461-Ton Blanking Press & Coil Line, (New 2005)**, straight side crankless top-drive type press, 13,000-kN rated capacity, (4) slide suspension points, 250-mm slide stroke, 300-mm adjustment of slide, 3,000-mm x 2,300-mm slide stroke, (2) 3,000-mm x 2,300-mm moving bolsters, 300-mm bolster thickness, 1,300-mm shut height, variable speed: 15 to 60-spm, 150-kN pneumatic counterbalance, upper & lower die clampers, scrap chute, 1,500-mm wide x 3,900-mm long rubber line out conveyor, 300-kg rated capacity, 132-kW main motor, electrical cabinets, pit required. **Equipped with:** H&F coil feed line, including: (2) coil cars, (1) decoiler, shear, straightener and feeder, capacities: (0.6) 2.3-mm to 6.0-mm thickness cap, 300-mm to 1,800-mm (11.8" to 70.8") width capacity, 20-ton maximum weight of coil, 700-mm to 1,800-mm (27.5" to 70.8") coil diameter capacity, 310-mm (24.0") inside coil diameter, 50-mm to 800-mm (1.9" to 31.4") feed length, 36-m/min line speed, pit mounted.



AMINO DRM1000 Center Reversing Type Die Spotting Press



HITACHI Zosen Fukui (H&F) BFE13000 Blanking Press & Coil Line

(4) ASSEMBLY CELLS TO 2023

- **(2) Meiwa Tacoma Rear Axle Assembly Cells**, Assembly Conveyor, Semi-Automatic Parts Washer, Estic AC Servo Nutrunners, Estic Insertion Tools with Handy 2000 Controls, Press Fitting Machines, ABS/RunOut Inspection Station, Component Conveyors, Pallet Turntables, Numerous Knight Track Type Overhead Cranes, Mitsubishi GOT2000 Touchscreen Controls Throughout
- **Tundra Rear Axle Assembly Cell #1**, Assembly Conveyor, Nikko Create Semi-Automatic Parts Washer, Fanuc SR-61iA SCARA Robot, Estic 10.5" & 9.5" Differential Stud Nutrunners, Press Fitting Machines, ABS/Run Out Inspection Station, Component Feed Conveyors, Track Type Overhead Cranes, Mitsubishi GOT2000 Touchscreen Controls Throughout
- **Tundra Rear Axle Assembly Cell #2**, 75' Assembly Line Conveyor, (2) Estic M10 Differential Carrier Nutrunner, (2) Estic 10.5" Differential Carrier Nutrunner, Press Fitting Stations, ABS / Run-Out Inspection Station, Component Feed Conveyors, Pallet Turntables and Conveyors, Knight Free Standing Jib Cranes & Track Type Cranes, Mitsubishi GOT2000 Controls Throughout



HITACHI Zosen Fukui (H&F) 2,810-ton Transfer Press

CUT-OFF MACHINES & SAWS

- Cut-Off Machines
- WF Wells F-16-1 Horizontal Bandsaw
- (4) Kalamazoo K20E & K26E Metallurgical Wet Cold Saws
- Strues Magnutom 500 Metallurgical Saw
- Kalamazoo Vertical Bandsaw



Cut-Off Machines



LYON Rolling Tool Cabinet

90+ Available

GENERAL TOOLROOM, SHOP & FACTORY

- Okamoto ACC-64DX Hydraulic Surface Grinder, 16" x 24" Capacity
- Utsunomiya Tool Grinder
- Caldwell 85R-25-72 Telescoping Coil Grab, 25-Ton Capacity
- Multiple Gobel Easy Arm Job Cranes, Late Model
- Multiple Lista Tool Cabinets
- US Industrial Machinery US1025 Hydraulic Squaring Shear
- US Industrial Machinery US8810 Hydraulic Press Brake
- Spartan IW88DX Hydraulic Ironworker
- Allied High Tech TwinPrep5 Grinder/Polisher
- (90+) Lyon Rolling Tool Cabinets & MRO Area

QUALITY CONTROL, TESTING AND INSPECTION TO 2023

- **Marposh Optoquick XL1200 Optical Measuring Machine, 2023**, 1,200-mm maximum part length
- **Zeiss Contura 12/24/10 Coordinate Measuring Machine, 2023**, 1,200-mm x 2,400-mm x 1,000-mm measuring envelope, Calypso 2023 software, PC
- **Renishaw Equator 500 Comparator Gauge, 2022**, 500-mm x 500-mm x 400-mm high working range, 6-place stylus storage rack, Equator controller, aluminum tooling plate, enclosure
- **Mitutoyo Crysta-Apex C122010 Coordinate Measuring Machine, 2005**, 1,200-mm x 2,000-mm x 1,000-mm measuring envelope, Renishaw PH10MQ measuring head, Geopak CMM software, PC
- **NV Tester & Oil Cooler**

- **Mitutoyo RA-H5100 Roundness Tester, 2017**, 150-mm diameter worktable, 6-rpm table speed, 440-mm maximum workpiece diameter, 280-mm maximum detection diameter, 100-mm maximum detection depth
- **(7) Marposh Axle Shaft Inspection Systems, Circa 2022/23**, E9066T touchscreen controls
- **(2) Zoller Venturion 450 Tool Presetters, 2020 & 2023**, 450-mm z-axis measuring range, 210-mm x-axis measuring range, 420-mm max. tool dia., 100-mm throat gauge diameter, PC-based controls with operator's console
- **(2) JGC Custom Tacoma Rear Axle Housing Inspection Stations, As Late As 2020**, Mitsubishi GOT2000 Touchscreen Controls
- **Faro Arms**

- **(3) JGC Custom Tacoma Rear Axle Housing Inspection Stations, As Late As 2023**, Mitsubishi GOT2000 Touchscreen Controls
- **SKG Type Custom Tundra Rear Axle Housing Leak Test Station, 2020**, Cosmo LS-R Series Digital Leak Detector, Mitsubishi GOT2000 Touchscreen Controls
- **(3) SKG Type Custom Tacoma Rear Axle Housing Leak Test Station, 2020**, Cosmo LS-R902 Digital Leak Detector, Mitsubishi GOT2000 Touchscreen Controls
- **(2) Mitutoyo HV-100 Automatic Hardness Testers**
- **Mitutoyo CV-3200 H8 Contour Measuring Machine, 200mm Measuring Length**
- **Large Qty. of Calipers, Indicators, Height Gauges, Plug & Thread Gauges, etc.**



2023

ZEISS Contura 12/24/10 CMM



2017

MITUTOYO Roundness Tester



2 Available


MITUTOYO Auto. Hardness Tester



Dynamometer

MRO SUPPLIES & LYON CABINETS

\$26MM
Brand New
Inventory



(10) AIR COMPRESSORS AIR DRYERS

- **Ingersoll-Rand C70023M3 500-hp Centrifugal Air Compressors, 2016-2018**, variable speed type, Baldor 500-hp electric motor, 110-psi designed discharge pressure, Allen-Bradley Panel View Plus touchscreen controls with Airlogix program, skid mounted
- **Ingersoll-Rand NVC2400A40N Air Dryers, 2,400-cfm rated cap., 220-psi MAWP, 13.5-hp compressor motor, (2) 1/2-hp fan motors, R404A refrigerant**
- **(2) Sullair SN2209/A/SUL/460/60/YD/WS 30-hp Air Compressors, 2022**, rotary screw type, 30-hp, 127-cfm, 135-psi maximum operating pressure, digital touch pad controls



OKAMOTO Hydraulic Surface Grinder

QUANTITY OF NEW, NEVER INSTALLED GRAVITY-FED ROLLER CONVEYOR

BRIDGE CRANES

- **(2) Deshazo model #75033075 33-ton x 75' Overhead Bridge Cranes, 33-ton rated cap., 75' span, dbl. girder, top runner, Stahl top running hoist trolley w/dual radio-controlled cable hoists, incl.:** (1) 33-ton with 59' drop & (1) 11-ton with 65' drop, approx. 47,260-lbs (crane w/o hoist & trolley)
- **(2) Additional cranes in Kaizen & QC Lab**



2 Available

DESHAZO #75033075 33-ton x 75' Overhead Bridge Crane

MASSIVE MULTI-DAY WEBCAST AUCTIONS

Sale 1: September 23 & 24, 2026

Sale 2: June 2027

INSPECTION: September 21 & 22, 9am to 4pm CT, By Appointment

100 Hino Boulevard, Marion, Arkansas



STATE-OF-THE-ART AXLE MANUFACTURING FACILITY

ADVANCE NOTICE!

ALL EQUIPMENT IS INSTALLED AND UNDER POWER



Carrier Case Line

Maynards
SINCE 1902

17177 N. Laurel Park Drive
Suite 236
Livonia, MI 48152

MASSIVE MULTI-DAY WEBCAST AUCTIONS

STATE-OF-THE-ART AXLE MANUFACTURING FACILITY

Sale 1: September 23 & 24, 2026 • Sale 2: June 2027



Housing Weld Line



Shaft Line

Mark Your Calendar!

Upcoming HINO Auctions

Auction Sale 1: Sept. 23 & 24, 2026

Auction Sale 2: June 2027

Ongoing Negotiated Sale of Key
Items Subject to Release Dates.

Visit [maynards.com/collections/current-auctions](https://www.maynards.com/collections/current-auctions) for full Hino Sales Schedule of these assets

TERMS AND CONDITIONS | **PAYMENT:** Full payment within 24 hours. Payment is Cash, Cashier's check, Certified Check or Wire Transfer. No other forms of payments will be accepted. Removal dates for each sale will be posted on www.maynards.com. Full Payment Must be Made before removal of Purchase. Everything is Sold "As-Is, Where-Is." All Sales Final. Cost and Responsibility for Removal of Purchase Remains with the Purchaser. Every Effort will be Made to Facilitate Removal. While Quantities and Descriptions are Believed to be Accurate, the Auctioneer, Owners or Counsel Make no Warranties or Guarantees Either Expressed or Implied as to Authenticity, Genuineness of or Defects in Any Lot & will not be Held Responsible for any Advertising Discrepancies or Inaccuracies. No Warranties Whatsoever are Made as to Condition Merchantability or Fitness for Use of Any Item. May we Suggest you Take Full Advantage of the Preview & Inspection Period. All Purchases are Subject to Local and State Sales Taxes Unless the Buyers Can Provide Proof of Exempt Status. Please Check Availability of Equipment.

AN ONLINE BUYER'S PREMIUM OF 20% WILL BE CHARGED ON ALL SUCCESSFUL BIDS.

For Further Information Email: customerservice@maynards.com

Place your bid on: **BidSpotter**

Maynards
SINCE 1902

INDUSTRIAL SOLUTIONS
AUCTIONS / LIQUIDATIONS
APPRAISAL SERVICES
EQUIPMENT FINANCE
ENERGY EXCHANGE
REAL ESTATE

17177 N. Laurel Park Drive, Suite 236
Livonia, MI 48152

248-569-9781 | www.maynards.com