

# PUBLIC AUCTION



## Webcast Auction Sale and Negotiated Sale of Surplus Quality Equipment from Magna

10 Locations in 6 Countries including: USA, Canada,  
United Kingdom, Ireland, Germany, and Poland

### WEBCAST AUCTION

**Tuesday, December 9 at 11am CT**

INSPECTION: December 8, 9am to 4pm ET or By Appointment

ASSET LOCATION: 125 Irwin Street, Chatham, ON N7M 5J5

### NEGOTIATED SALE

**For All Other Assets  
Not in Chatham**

AS LATE AS  
**2022**



**ACTIVE MEGA** Parpas 3-Axis High Speed Bridge Type Milling Center



**BALDWIN** 1500-Ton 180" x 95" Hydraulic Press

**For Further Information Email: [customerservice@maynards.com](mailto:customerservice@maynards.com)**

Place your bid on: **BidSpotter**

**Maynards**  
SINCE 1902



17177 N. Laurel Park Drive, Suite 236  
Livonia, MI 48152

**248-569-9781 | [maynards.com](http://maynards.com)**



INSPECTION: December 8, 9am to 4pm ET or By Appointment  
ASSET LOCATION: 125 Irwin Street, Chatham, ON N7M 5J5

## HIGH SPEED BRIDGE TYPE MILLING MACHINE

- (3) 2020-2022 Active Mega Parpas 3-Axis High Speed Bridge Type Milling Centers, 20k RPM Max Spindle Speed, KSK 63A Tool Taper, Liquid Cooled, 1.650 mm Distance between Bridge Supports, 3.100 mm x 1.150 mm Table Size, 5.000 kg Max Load Capacity, 18 mm T-Slots, X-Axis 3.200 mm, Y-Axis 1.500mm, Z-Axis 1.100

## INDUSTRIAL WASHERS

- (2) Proceco Industrial Washers

## SUPPORT EQUIPMENT

- (2) Fanuc M-900ib Robots
- Several Fronius MW 3000 Welders
- Lincoln Tool Shuttles with Headstock
- (8) Fanuc Headstock / Tailstocks
- (7) Defender Roll up Doors
- Square D Transformers, Control Panels
- Jib Gantry
- Hydraulic Power Units
- Cable Trays, Safety Fencing, Vertical Air Tank, Electrical Components and Much More



ACTIVE MEGA Parpas 3-Axis High Speed Bridge Type Milling Center



PROCECO Industrial Washer



FANUC M-900ib Robot



FRONIUS MW 3000 Welder



RHM Hydraulic Power Unit



Cable Trays



TOX Pressotechnik C-Frame Press



NILFISK 3907 Industrial Vacuum



Tool Shuttle with Headstock



LINCOLN Headstock/Tailstock and Assorted Components



# NEGOTIATED SALE – For All Other Assets Not in Chatham



## SURPLUS QUALITY EQUIPMENT FROM MAGNA 10 Locations in 6 Countries

### CNC VERTICAL MACHINING CENTERS

- Chiron Mill 2000 Long Bed CNC Vertical Machining Center, Location: Mart Schwaben, Germany
- Brute 4024-V CNC Vertical Machining Center, Table Size – 24" x 40", 24 Station Automatic Tool Changer, Chip Conveyor, Location: Troy, Michigan, USA

### LASERS

- Trumpf TruLaser Cell 7040 5 Axis 3000-6000 Watt Fiber Laser, 4000mm x 1500/2000mm x 750/1000mm, Location: Clinton, Tennessee, USA
- (4) Trumpf TruLaser Cell 7020 3 Axis 6 kW Fiber Lasers, X & Y Axis 80" x 80", 80" x 60", Location: Clinton, Tennessee, USA

### LASER CUTTING SYSTEM

- Komatsu TLM610 5 Axis 3300 Watt Laser Cutting System, Table Size 75" x 122", Location: Troy, Michigan, USA

### CNC TUBE BENDERS

- Transfluid Maschinenbau Models DB 2060K-8WD & R-H45 (DB2060 K-SPS) Mandrel Bending Machines, Location: Troy, Michigan, USA



BRUTE 4024-V CNC Vertical Machining Center



TRUMPF TruLaser Cell 7040 5 Axis 3000-6000 Watt Fiber Laser



TRUMPF TruLaser Cell 7020 3 Axis 6 kW Fiber Laser



KOMATSU TLM610 5 Axis 3300 Watt Laser Cutting System



TRANSFLUID MASCHINENBAU Mandrel Bending Machines





## SURPLUS QUALITY EQUIPMENT FROM MAGNA 10 Locations in 6 Countries

### PRESSES

- **Ital Press DCM 2500t 2500-Ton Press**, IP DCM 2500 t, Fixed Platten 2230mm x 2430mm, Mobil Platten 2230mm x 2230mm, Siemens S7, HMI Idea 3, KMA Ultravent II, Location: Soest, Germany
- **Baldwin 1500-Ton 180" x 95" Hydraulic Press**, Rolling Bolster Size 180" x 95", 64" Daylight, Air Clutch, Location: Troy, Michigan, USA
- **Blow Model SE4-1000-160-84 1000-Ton Transfer Press**, Bed 160" x 84", Stroke 24", Location: Clinton, Tennessee, USA
- **Weingarten 700-Ton x 138 x 75" Tandem Line**, (4) Model VK 630.35.70 700-Ton 2 Point Straight Side Presses, Bed Size 138"x 75", Stroke 27 in., Location: Clinton, Tennessee, USA
- **Danly S2-600-72 x 36 600-Ton 2 Point Eccentric Straight Side Press**, Bed 72" x 36", Stroke 4", Location: Clinton, Tennessee, USA
- **CCI Model SL4-600-120-720 600-Ton Straight Side Transfer Press**, Bed 120" x 72", Location: Clinton, Tennessee, USA
- **Eagle 400-Ton 144" x 84" Straight Side Press**, S/N EP-260-101006, Bed Size 144" x 84", Location: Bowling Green, Ohio, USA
- **ONA 300-Ton Tilting Platen Shuttle Type Spotting Press**, 460v 3 phase 60 Hz, Manufactured in 2000, Installed in 2021, Bed / tools Max Dimensions 2800mm x 1350mm x 600mm, Stroke 1000mm, Max Tool Weight 30000kg, Location: Battle Creek, Michigan, USA
- **Kurtz KPS2000-SKT 200-Ton Trim Ram Press**, Tie Bar Spacing 1600mm, Swing Table
- **Eagle Power 200-Ton 72" x 44" Press**, Lifting Capacity: 25-Tons, Working Area: 72"x44", Stroke: 400", Location: Battle Creek, Michigan, USA
- **Tranemo 200-Ton 86" x 39" Mechanical Press**, Bed Size – 86" x 39", Daylight 28", Cushion 50T, Shut Height 12", Location: Troy, Michigan, USA
- **Reis Trim 65-Ton Press**, Tie Bar Spacing 900mm, Location: Soest, Germany
- **Reis Trim 65-Ton Press**, Tie Bar Spacing 1200mm, Location: Soest, Germany
- **TOX 2x 150 kn Pneumatic Assembly Press**, Stroke 150mm, Location: Soest, Germany



ITAL PRESS DCM 2500t 2500-Ton Press



BALDWIN 1500-Ton 180" x 95" Hydraulic Press



BLOW Model SE4-1000-160-84 1000-Ton Transfer Press



WEINGARTEN 700-Ton x 138 x 75" Tandem Line

For Further Information Email: [customerservice@maynards.com](mailto:customerservice@maynards.com)



# NEGOTIATED SALE – For All Other Assets Not in Chatham



## SURPLUS QUALITY EQUIPMENT FROM MAGNA 10 Locations in 6 Countries

### PRESSES (Continued)



**DANLY 600-Ton 2 Point Eccentric SS Press**



**CCI 600-Ton Straight Side Press**



**EAGLE 400-Ton 144" x 84" Straight Side Press**



**ONA 300-Ton Shuttle Type Spotting Press**



**KURTZ KPS2000-SKT 200-Ton Trim Ram Press**



**EAGLE POWER 200-Ton 72" x 44" Press**



**TRANEMO 200-Ton 86" x 39" Mechanical Press**



**REIS TRIM 65-Ton Press**

**2  
Available**



**TOX 2x 150 kn Pneumatic Assembly Press**

For Further Information Email: [customerservice@maynards.com](mailto:customerservice@maynards.com)

Place your bid on: **BidSpotter**



# NEGOTIATED SALE – For All Other Assets Not in Chatham



## SURPLUS QUALITY EQUIPMENT FROM MAGNA 10 Locations in 6 Countries

### PNEUMATIC PRESS

- Tox Pressnote EMB015 159 A 001 90 kN  
Pneumatic Press & Feeder, Location: Telford, UK



TOX PRESSNOTE Pneumatic Press & Feeder

### ASSEMBLY ROBOTS

- (2) ABB IRB 4600 IRC5 Robots, No Pendant,  
Location: Telford, UK



ABB IRB 4600 IRC5 Robots

2  
Available

### ORBITAL RIVETER

- Orbitform P-845 Orbital Riveter,  
Location: Troy, Michigan, USA
- Bodmer Orbital Forming Machine,  
Location: Mart Schwaben, Germany



ORBITFORM P-845 Orbital Riveter

### STRAIGHTENING MACHINES

- (2) Laubinger + Rickmann Pneumatic / Hydraulic Straightening Machines, Automatic
- (2) AIUT Pneumatic / Hydraulic Straightening Machines, Manual, Location: Poland



2  
Available

LAUBINGER + RICKMANN Pneumatic / Hydraulic Straightening Machine

### LEAK TESTERS

- Leak Testers,  
Location: Mart Schwaben, Germany



AIUT Pneumatic / Hydraulic Straightening Machine

For Further Information Email: [customerservice@maynards.com](mailto:customerservice@maynards.com)

Place your bid on: **BidSpotter**



# NEGOTIATED SALE – For All Other Assets Not in Chatham



## SURPLUS QUALITY EQUIPMENT FROM MAGNA 10 Locations in 6 Countries

### BAND SAWS

- (2) **Baileigh 18" Vertical Bandsaws**, Blade Welder and Grinder, Location: Battle Creek, Michigan, USA
- **WellSaw 1016 Horizontal Metal Cutting Bandsaw**, Location: Troy, Michigan, USA



**BAILEIGH 18" Vertical Bandsaw**

### DRILLING MACHINES

- **CCMS Model NR-52 Adjustable Multiple Spindle Drill**, (No Drill), Location: Mart Schwaben, Germany
- **CCMS Model NR-51 KoST Adjustable Multiple Spindle Drill**, (Maschinen Nr. 51 KoSt. 55030, Location: Mart Schwaben, Germany)



**CCMS NR-52 Adjustable Multiple Spindle Drill**



**CCMS NR-51 KoST Adj. Multiple Spindle Drill**

### DRILL PRESS

- **TCA 35 ERLO 8 Speed Drill and Tap Machine**, Location: Brampton ON, Canada



**TCA 35 ERLO 8 Speed Drill and Tap Machine**

### DISC SANDER

- **Powermatic DS 20 Pedestal Type 20" Disc Sander**, Electrical: 3HP 3PH 230V, 20" Disc Sander, Location: Battle Creek, Michigan, USA



**POWERMATIC Pedestal Type 20" Disc Sander**

### OVEN

- **Blue M DC-1406C 650°F H Mechanical Convection Oven**, Interior Dim.: 48" W x 24" D x 36" H, Cap.: 24 Cu. Ft., Temperature High: 343°C/650°F, Electrical: 208-240V/1PH, Location: Battle Creek, Michigan, USA



**BLUE M 650°F H Mechanical Convection Oven**

For Further Information Email: [customerservice@maynards.com](mailto:customerservice@maynards.com)

Place your bid on: **BidSpotter**

# NEGOTIATED SALE – For All Other Assets Not in Chatham



## SURPLUS QUALITY EQUIPMENT FROM MAGNA 10 Locations in 6 Countries

### LADLE PREHEATERS

- (3) Selas Heat Technology Ladle Preheaters, (Natural Gas with 115-volt blower motor), Not in Service, Location: Battle Creek, Michigan, USA

### DUST COLLECTOR

- Kaweha Dust Collection System, Location: Mart Schwaben, Germany

### DOSER HOLDING FURNACE

- Striko Westofen W 3100 S PRODOC 3, 3100 kg Capacity Holding Furnace, Never been in production (new refractory), Needs Heating elements, protection tubes, riser tube, and funnel, Location: Battle Creek, Michigan, USA

### LADLE HOLDING FURNACE

- Stotek Model STI 2500 2,500 kg Capacity Ladle Holding Furnace, Will need new heating elements, protection tubes and seals, Location: Battle Creek, Michigan, USA



3  
Available

SELAS HEAT TECHNOLOGY Ladle Preheater



STRIKO WESTOFEN 3100 kg Cap. Holding Furnace



ULTRON Parts Washer

### PARTS WASHERS

- ULTRON Parts Washer, External dimensions 9460 x 2480 x 2290 mm, Washed parts dimensions 1600 x 600 x 400 mm, Washing temperature 20-80°C, Drying temperature 0-90 °C, Heater power 34,2-36 kW, Rated power 160kW, Manufactured 2016, Location: Poland

### GRANITE SURFACE PLATE

- Standridge 48" x 96" Granite Surface Plate, Location: Troy, Michigan, USA

### QUALITY CONTROL

- Hexagon WLS qFlash 3D Optical Laser Scanner, Size: 350mm x 350mm x 160 FOV
- Zeiss Carmet II 70 30 25 RDS Dual Arm Cantilever Coordinate Measuring Machine, RDS head and Falcon Eye laser sensor as well as TP 20 sensors, Location: Troy, Michigan, USA

### MATERIAL HANDLING

- (2) Bridge Cranes, Freeland 5-Ton Cap. Overhead Bridge Crane, Location: Clinton, TN, USA
- Binar Quick Lift, Load capacity 100 kg, Location: Soest, Germany
- E-Frame Quad Steer Mother Cart, Location: Soest, Germany
- Gantry DCM Lift Assist, Location: Telford, UK
- Andron Gantry DCM Lift Assist, Location: Telford, UK



ZEISS Carmet II Dual Arm Cantilever CMM



2  
Available

Bridge Crane

**TERMS AND CONDITIONS** | **PAYMENT:** Full payment within 24 hours. Payment is Cash, Cashier's check, Certified Check or Wire Transfer. No other forms of payments will be accepted. Small / hand-carry items to be removed from the site by December 3, machinery by December 12. Full Payment Must be Made before removal of Purchase. Everything is Sold "As-Is, Where-Is." All Sales Final. Cost and Responsibility for Removal of Purchase Remains with the Purchaser. Every Effort will be Made to Facilitate Removal. While Quantities and Descriptions are Believed to be Accurate, the Auctioneer, Owners or Counsel Make no Warranties or Guarantees Either Expressed or Implied as to Authenticity, Genuineness of or Defects in Any Lot & will not be Held Responsible for any Advertising Discrepancies or Inaccuracies. No Warranties Whatsoever are Made as to Condition Merchantability or Fitness for Use of Any Item. May we Suggest you Take Full Advantage of the Preview & Inspection Period. Sale Subject to Additions & Deletions. Sales Tax 6% unless exemption forms are supplied. Please Check Availability of Equipment.

**AN ONLINE BUYER'S PREMIUM OF 20% WILL BE CHARGED ON ALL SUCCESSFUL BIDS.**