Maynards Industries Canada Ltd



San Forest Products Ltd

Major reman plant, ISC porta & steamer kilns, boilers, (6) tilt hoists, (5) stackers, (2) stick placers, planer, (4) moulders, etc.

4000 Stamp Ave Port Alberni British Columbia V9Y 5J7 Canada

Ends from Sep 18, 2025 8:30am PT (4:30pm BST)

| Lot | Description |
|-----|---|
| 0F | As a courtesy, we provide a list of third-party rigging and machinery moving companies. Maynards does not recommend, endorse, or assume liability for any such provider Transportation Services: Machine Freight-#106-30600 Progressive Way, Abbotsford, BC V2T 6Z2-Contact: Peter Teichroeb- 236-602-2878 ([more] |
| 1 | Rex Power Magnetics ANN 3 phase 750kva transformer |
| 2 | pallet of Siemens motors |
| 3 | (2) pallets of misc. material, 2006 WE-SHARPE P05102/2 scanner |
| 4 | balance of material in two racking sections, motors reducers (not marked in orange) |
| 5 | pallet of electrical panels |
| 6 | Great Lakes TS37NE shrink wrap system |
| 7 | Pneustream air dryer mod ACT500-UR |
| 8 | 1997 Weinig O.M.A.970 optical system |
| 9 | Pall E4030-ABE-12 air dryer system |
| 10 | 2004 Friulmac variable length pieces automatic miller |
| 11 | pallet of machine bases, 3 roll feeders |
| 12 | pallet of transformers and misc. electrical |
| 13 | 2008 Arpac TS833CF shrink wrap system |
| 14 | Armstrong 2LH bandsaw sharpener |
| 15 | pallet of Weinig 25.2 hp, 3530 rpm moulder motors |
| | |

| 16 | pallet of (5) motors and reducer |
|----|---|
| 17 | (2) motors and pallet of Siemen's switch gear |
| 18 | (3) motors |
| 19 | (3) motors |
| 20 | box of saw blades and misc. steel |
| 21 | Schneeberger mod 23 Norma cutter head grinder |
| 22 | Autolog grade mark reader system |
| 23 | Italpresse SCF/8 4 ft x 10ft upacting platen press |
| 24 | RFS high frequency glue press 40" x 60" platen |
| 25 | 2008 Arpac MPD1222120 8 ft shrink wrap tunnel |
| 26 | (2) Dubois spraying control panels |
| 27 | (2) Neva coating units |
| 28 | Weinig RF30-4 41 hp hydraulic power pack |
| 29 | 3 hp hydraulic unit |
| 30 | pallet of misc. parts |
| 31 | misc. motors and control panel |
| 32 | box of misc. electrical control panels and parts |
| 33 | pallet conveyor rolllers |
| 34 | pallet of saw blades |
| 35 | (3) Siemens disconnect, Allen-Bradely PLC control and 15kva transformer |
| 36 | (2) 10ft feed conveyors with flip transfer |
| 39 | row of misc. shrink wrap approximately (5) pallets 19.00" X 1.00 mil, 30.00" X 1.25 mil, 16.00" X 1.00 mil, 21.00" X 1.00 mil |
| | |

| 40 | row of misc. shrink wrap approximately (4) pallets |
|-----|---|
| 41 | row of misc. shrink wrap approximately (5) pallets |
| 42 | row of misc. shrink wrap approximately (4) pallets, |
| 43 | row of misc. shrink wrap approximately (3) pallets, 16.00" X 1.00 mil, 25.00" X 1.25 mil, 34.00" X 1.25 mil |
| 44 | row of misc. shrink wrap approximately (3) pallets |
| 51 | 15 1/2" ft 6 strand S drive transfer deck |
| 52 | 10 hp motor with Radicon reducer |
| 53 | 50" 4 arm mechanical tilt hoist, 107 ' wide, 77" stroke with drive |
| 54 | 11 1/2 ft 5 strand transfer deck with 3 hp sew-eurodrive motor |
| 55 | 21 ft x 24 1/2" belt conveyor with 5 hp motor with SM Cyclo reducer |
| 56 | Jonab 10 ft 5 strand transfer deck with 5 arm singulator and 2 ft 4 strand roller chain transfer and drive |
| 57 | Twin saw PET trim saw system with 93" 6 strand lugged uhmw lined through feed transfer 6 roll even ending roll case, 1 22" bottom fixed saw and 22" overhead manual moveable saw with 3 ft 5 strand roller chain exit transfer with drive |
| 58 | 22 ft by 11 1/2" belt conveyor with drive |
| 59 | Bulk lot 51-58 individual or package which ever is greater |
| 60 | Waco Dominant moulder feed table consisting of 5 strand 67" cross feed transfer, 258" table with fence, twin top and bottom hydraulic feed rolls, 23hp hydraulic powerpack and drive |
| 61 | Waco Dominant 10 head high speed moulder, hydraulic power pack, control cabinet and spare parts blow pipe to be disconnected after spyder |
| 61A | (7) ABB 15 kva capacitors with Siemens disconnect and Allen-Bradley variable frequency drive control cabinet |
| 62 | push button control with foot pedals |
| 63 | 22" Air King fan |
| 64 | 26 ft x 11" belt conveyor with drive |
| 65 | Bulk lot 61-64 individual or package which ever is greater |
| | |

| 66 | 10 ft x 30 ft steel catwalk section with stairs in area with 12 1/2 ft x 9 ft extension |
|----|---|
| 67 | 20 ft 11 roll 23" roll case with drive |
| 68 | 91" 6 strand uhmw camelback transfer deck |
| 69 | 22" x 56" slow down belt conveyor with drive |
| 70 | 15 ft partial transfer with 4 arm kicker |
| 71 | 8 ft 5 strand transfer deck |
| 72 | 15 ft 5 strand S-drive transfer deck |
| 73 | Sew eurodrive 7.5 hp motor with 126.8 ratio reducer |
| 74 | 52 1/2" 5 arm hydraulic tilt hoist, 207" wide,7.5 hp hydraulic power pack |
| 75 | 22 ft x 11" belt conveyor with drive |
| 76 | Bulk lot 72-75 individual or package which ever is greater |
| 77 | 7 ft 5 strand transfer deck with drive |
| 78 | 8 ft 3 twin strand flighted unscrambler |
| 79 | 18 ft x 12" belt conveyor manual shifting line bar 6 arm gravity roll drop |
| 80 | lot of push button controls and marked electrics |
| 81 | 1990 Waco Type BKE-Twin, 72" vertical twin shifting resaw system P/W twin 40 hp motors, (6) roll feed, single column, saw wheel diam 1250mm, saw wheel width 150mm, saw band cutting speed 38 m/s, feed speed 0-60 or 10-80 m/min, max cutting height 300mm, push button control, blow pipe to be disconnec[more] |
| 82 | 49 1/2 ft 28 roll 23" roll case with 2 sets of 6 arm kickers and drive |
| 83 | lot Siemens & Leviton electrics |
| 84 | Bulk lot 77-83 individual or package which ever is greater |
| 85 | lot of cat walking and stairs around resaw and stacker |
| 86 | 4 ft 5 strand transfer deck with 4 arm 2 ft transfer and drive |
| | |

| 87 | Stacker system consisting of 13 ft 5 strand singulating through feed transfer deck 157" wide, 4 roll 2 ft even ending roll case, 4 arm 53 1/2 " stacker, 4 arm 51" lowering hoist, 74" stroke, drive and push button controls |
|-----|---|
| 88 | 11 ft 4 strand transfer deck |
| 89 | 5.5 hp motor with Radicon reducer |
| 90 | Bulk lot 86-89 individual or package which ever is greater |
| 91 | lot of Leviton electrics |
| 92 | Siemens and Eaton disconnects |
| 93 | Westwood cabinet with Siemens PLC control and touch screen |
| 94 | Control cabinet with 13 Allen Bradley Power Flex VFD drive controls |
| 95 | MPM control cabinet with 4 Allen Bradley Power Flex 525 VFD drive controls Teco vfd drive |
| 96 | (2) Sew motors |
| 97 | 18 ft 5 strand singulating transfer deck uhmw lined with drive |
| 98 | 10 ft 5 strand 3" transfer deck with drive (no head shaft) |
| 99 | Jonab mechanical stacker system consisting of 99" by 156" wide, 5 strand through feed transfer 4 roll 24" even ending roll case, 5 arm 53 1/2" stacker 51 " 4 arm 51 " stroke lower hoist and drive |
| 100 | 12 ft 4 strand transfer deck with Sew drive |
| 101 | Bulk lot 97-100 individual or package which ever is greater |
| 102 | lot of Leviton electrics |
| 103 | 3 1/2 ft 6 strand camelback landing deck with (9) 44" even ending rolls with drives |
| 104 | 4 ft x 8" butt even ending station with drive |
| 105 | 10 ft 5 strand transfer deck with 5 arm 2 ft x 3" belt transfer and drive |
| 106 | 27 ft x 12 1/2" belt conveyor with drive |
| 107 | 53" x 3 3/4" 5 strand singulating belt transfer, 57" 5 strand 4 " belt transfer, 57" 5 strand 4" belt transfer with drives |
| | |

| 108 | Jonab stacker system 7 ft 108" wide 5 strand 4" through feed belt transfer, 5 arm 63 1/2" hydraulic stacker, manual shifting 3 pocket overhead pneumatic stick placer, 4 arm 51" lowering hoist 50 1/2" stroke with hydraulic power pack approx. 5 hp |
|------|--|
| 109 | 20 ft 4 strand transfer deck with 2 drives |
| 109A | Bulk lot 107-109 individual or package which ever is greater |
| 110 | Common stacker system push button control with Siemens touch screen control |
| 111 | Lot of Leviton switches with Siemens switch |
| 112 | approx. 100ft overhead catwalk with cat walking around stackers |
| 113 | lot of tech cable from resaw control panel to stackers to be cut 6" from all motors, mcc's and cabinets |
| 115 | 123" 3 strand transfer deck with Sew drive |
| 116 | mechanical tilt hoist, 3 arm 118" wide 49 1/2 " 64" stroke with drive |
| 117 | 18 ft x 14" belt conveyor with Sew drive |
| 119 | lot of Leviton switches and foot pedals |
| 120 | 12 ft 5 strand UHW camelback transfer with drive |
| 120A | Bulk lot 115-120 individual or package which ever is greater |
| 121 | 12 1/2ft 5 strand UHW line transfer (no head shaft) with drive |
| 122 | 18 ft 6 roll 29" planer pineapple feed table with twin top pineapple rolls with 2 top and bottom speed up rolls |
| 123 | Yates American A20 6 head planer, top, bottom, side, side, top, bottom, side heads bottom 40 hp, top left top right 25 hp, other two 25 hp, 20 hp feed drive 7.5 hydraulic power pack and push button controls, blow pipe to be disconnected after spyder, S/N B250929 |
| 124 | 27 ft x 11" belt conveyor with 4 pneumatic kickers and drive |
| 125 | single door planer drive control cabinet with 4 Teko variable frequency drives with Beaver 5kva transformer |
| 125A | Bulk lot 121-126 individual or package which ever is greater |
| 126 | Allen-Bradley 3 section 11 switch MCC |
| 128 | cat walking around the planer |
| 129 | 40 ft 5 strand S-drive UHW line singulating transfer deck |

| 130 | US 7.5 hp motor with Browning reducer |
|------|---|
| 131 | 80" 6 strand roller chain transfer deck with top and bottom speed up rolls |
| 132 | 2005 68" 18 strand lugged transfer with 20 1/2" even ending rolls and 10 bumper stations |
| 133 | 2005 SystemTM A/S 100" 6 strand roller chain transfer deck with 6 arm pop-up singulators and two foot 6 strand 2" tipple feed station |
| 134 | 2005 System TM A/S Optikap 4003 type 794 12" chop saw, 16 ft 6 roll 12" feed roll case with twin speed up rolls, 80" x 12" outfeed belt conveyor |
| 136 | 2005 15 ft 6 strand transfer deck with (8) 4 arm pop-up singulators, 52" x 3" 6 strand belt transfer, 25" 6 arm 2" transfer |
| 137 | 2005 System TM A/S Optikap 4003 type 794 12" chop saw, 16 ft 6 roll 12" feed roll case with twin speed up rolls, 80" x 12" outfeed belt conveyor |
| 138 | 2005 System TM A/S common chop saw control cabinet |
| 140 | (4) 2005 Opti-Stack 3000 stackers with twin pocket overhead stick placers, (2) 125 ft x 11 1/2" belt conveyors with pneumatic kickers, overhead and push button controls, (8) overhead 51" paddle type feeders, (4) 18ft overhead 2" belt bypass feeders, (8) 8 ft twin strand 2" bin feeders, (8) overhead[more] |
| 140A | Bulk 129-140 individual or package which ever is greater |
| 141 | lot of wire, belts and misc. |
| 142 | 30 ft 3 strand 3" belt transfer with common 30ft x 36" belt conveyor with drive |
| 143 | lot of spare stacker parts in common |
| 144 | 80" x 36" belt conveyor |
| 146 | 78" x 30" air receiving tank |
| 151 | 24" x 8" belt conveyor with drive |
| 152 | 11 1/2" x 28 ft belt conveyor with drive |
| 153 | 1997 Precision 14F 5 hp 12" upacting chop saw with 14ft length stock infeed conveyor, 10 ft outfeed conveyor gravity roll |
| 154 | 4 ft x 18 ft belt conveyor with drive |
| 155 | 10 ft x 21" gravity roll case |
| | |

| Waycon 4 arm hydraulic tilt hoist 19 1/2ft, 158" width 4 strand S-drive infeed transfer deck, 10hp 4 arm 50" hydraulic tilt hoist 52 1/2" stroke, with 10hp power pack |
|---|
| Waycon servo driven overhead 4 saw P.E.T trim system consisting of 8 1/2 ft 5 strand transfer deck, 55" 5 strand transfer deck twin 18" servo positioned overhead saws 10hp, twin 18" bottom saws with 5 arm pop-up singulator, 25" 5 stand roller cross transfer, 5 strand 8 ft lugged through feed transf[more] |
| 21ft x 12" belt conveyor with drive |
| 21ft x 12" belt conveyor with drive with 1hp motor |
| 12" x 10ft 1hp belt conveyor |
| Bulk 156-160 individual or package which ever is greater |
| 1998 Michael Weinig 803-100 moulder feed table 5 strand 2 ft roller cross transfer 65" 5 strand cross transfer, 18 ft 6 roll 13 1/2" infeed roll case with top and bottom speed up rolls, hydraulic power pack |
| Weinig Hydromat 23 9 head high speed moulder working width up to 230 mm, working height 160mm, 80m/min speed, jointed, top, side, side, side, top, top, bottom, bottom, push button control, hydraulic power pack, Siemens disconnect, variable frequency drives, spare parts blow pipe to be disconne[more] |
| 12" x 19ft belt conveyor with drive |
| lot of moulder feed area push button controls with 8 ABB variable frequency drives, and disconnects |
| Cabinet with Allen-Bradey variable frequency drives |
| Bulk 161-165 individual or package which ever is greater |
| 10 ft 5 strand uhmw camelback transfer deck with 3hp motor |
| 8 ft 7 strand uhmw camelback transfer deck with 5 hp drive |
| 8 ft 8 strand 4" transfer deck (no head or tail shaft) |
| Resaw feed table 8ft 7 strand 4" belt transfer, 42" x4" belt transfer, 20ft x 12" resaw infeed belt conveyor with 5hp drive with 2 ft 7 strand 4" cross feed transfer |
| Stenner mod VHR48 vertical resaw, 48" 50 hp, power feed through roll, push button control, mechanical strain, S/N C10702 |
| Bulk 167-171 individual or package which ever is greater |
| Radio Frequency Services RFSR10A03A0100 glue press , S/N 99-656 |
| 25' 10 roll 54" roll case |
| |

| 174 | Tilt hoist, mechanical, 4 arm, 52" 4'2" stroke, 11' w |
|------|---|
| 175 | 5ft 6 strand transfer deck with 6 arm pop-up singulator 5 strand 2 ft roller chain cross transfer |
| 176 | 20ft x 11" belt conveyor with drive |
| 177 | lot of foot controls |
| 178 | Twin saw trim table system consisting of 80" 5 strand lugged through feed transfer, 5 roll 27 1/2" even ending roll, 12" x 11" dropout conveyor, (2) 18" 3500 rpm trim saws, 27" 4 strand roller chain transfer |
| 178A | Bulk 173-178 individual or package which ever is greater |
| 179 | Weinig ,moulder feed table consisting of 5ft 9 strand cross transfer, 12 ft 6 roll feed feed table with top and bottom rolls, 20hp hydraulic power pack |
| 180 | Michael Weinig Hydromat 22B 7 head moulder jointed, push button control, hydraulic power pack, spare parts, blow pipe to be disconnected after spyder |
| 180A | Bulk 179-180 individual or package which ever is greater |
| 181 | Allen-Bradley variable frequency drive |
| 181A | Rex 200kva 480/400/231 moulder transformer |
| 181B | lot of Siemens disconnects |
| 181C | 3 hp hydraulic power pack & aftercooler |
| 182 | 8" x 148" outfeed belt conveyor with drive |
| 182A | Techo Westinghouse variable frequency drive |
| 183 | 4 ft 5 strand UHW camelback landing deck with drive |
| 184 | 24 ft 6 strand UHW chain transfer deck with drive |
| 184A | Shanklin T-72 shrink tunnel system 12" chain feed through |
| 185 | Cantek CANHP-400PB 30 hp resaw with feed 15" belt feed through conveyor 30hp |
| 186 | Cantek CANHP-400PB 30 hp resaw with feed 15" belt feed through conveyor 30hp |
| 187 | 21 ft x 54" 7 rollcase |
| | |

| 188 | 4 arm 49 1/2" mechanical tilt hoist, 64" stroke |
|------|--|
| 189 | 14 1/2 ft x 5 strand transfer deck with 5 arm pop-up singulator and drive with 6ft 5 strand transfer deck |
| 189A | Bulk 188-189 individual or package which ever is greater |
| 190 | 12 ft 6 roll 20" rollcase with drive, 5 strand 5' cross transfer (no head shaft) |
| 191 | Baker 6 head resaw system with 12' X 30' through feed belt conveyor, (6) sets of feed through rolls (6) 30 hp 1765 rpm saws drives, 208-230/480, push button controls |
| 192 | Allen-Bradley variable frequency drive cabinet |
| 193 | Square D disconnect |
| 194 | 42 ft 13 roll 11" outfeed roll case with drive and 4 paddle sweep pusher |
| 195 | Mechanical Stacking system consisting of 23ft 6 strand through feed transfer 5 roll 36" even ending roll case, 4ft butt even ending station 9 arm 53" stacker, 4 arm 51" lower hoist with 51" stroke |
| 196 | 11 ft 4 strand transfer deck with Sew drive |
| 197 | Bulk 190-196 individual or package which ever is greater |
| 198 | lot of sprockets with racks |
| 199 | 18ft 5 strand transfer deck with drive |
| 200 | 28ft 13 roll 54" roll case with drive |
| 201 | Signode WHT80MP44 automatic strapping system, top & side squeeze M55 strapping head, auto dunnage, Signode dispensing stand, 10 hp power pack, 118" overhead wrap dispensing stand push button control, Allen Bradley plc & variable frequency drive, S/N 9424 |
| 202 | 24 ft twin strand S-drive transfer with SM Cyco drive |
| 203 | 22ft twin strand transfer deck with drive |
| 204 | 14 ft 5 strand transfer deck with drive |
| 205 | SM cyclo 27/2 ratio reducer |
| 206 | Signode strapping head |
| 207 | Bulk 199-206 individual or package which ever is greater |
| | |

| 208 | Leeson 3 hp 1740 rpm hydraulic power pack |
|-----|---|
| 209 | 2002 Joulin N1200 Vacuum stacker system |
| 210 | Sew variable frequency drive with PLC cabinet |
| 211 | Anthon book build line with ISCO EL 96-2 automatic stacker with 15 ft infeed roll case, Samual SOA750-36 orbital binder strap station, 17 ft roll case section, 3 ft 8 strand transfer, 8 ft 7 strand elevator section, 18 ft roll case section, 8 ft roll case section, PMI mod ST-901 shrink wrap tunnel,[more] |
| 212 | Push button controls, Ingersol Rand air dryer |
| 213 | PLC control cabinet Allen-Bradley CompactLogix L32E |
| 214 | Anthon 4 door control cabinet with (9) Sew drives |
| 215 | 6 ft x 30" air receiving tank |
| 216 | Variable frequency control cabinet with Allen-Bradley Flex drive controls |
| 217 | Westinghouse 30kva transformer, Beaver kva transformer, ABB 100 kva electric bank and marked electrics |
| 218 | 25ft travel, 22" 7.5 hp trim saw with saw horses |
| 219 | Wright DS/1 dual side sharpener , S/N A9849 |
| 220 | Westinghouse 8 section 44 switch MCC |
| 221 | 12" upacting chop saw |
| 222 | 4 arm 52" x 166" wide 72" stroke hydraulic tilt hoist |
| 223 | 4 1/2" ft 5 strand transfer deck with 12" x 25 ft drop out belt conveyor frame |
| 224 | 30/40 hp 1780rpm hydraulic powerpack |
| 225 | 5 hp motor with Radicon reducer |
| 226 | 15 hp hydraulic power pack |
| 227 | Wadkin LAM 180 Ultracare 5 head moulder 130mm X 180mm cap, min finished size 80mm X 40mm, max 120m/min, 5' hydraulic positioning table top speed up roll, side press roll, control, S/N 036212 |

| 228 | Scissor lift type hydraulic tilt hoist 10,000 lb cap |
|------|--|
| 229 | 2003 Unifab P.E.T trim saw system consisting (7) 3ft singulating transfer deck, 12ft 4 strand through feed transfer, 41" even ending rolls , twin 18" overhead fixed/movable teim saws 6 1/2 ft 3 strand transfer deck, 11" x 12 ft waste conveyor |
| 230 | Watkin S220 XJS 9 head moulder 6' 3 strand cross feed transfer deck, 10ft moulder feed table with twin top speed up rolls, 5" X 9" cap, min finished lumber 15mm x6mm thick, 10-120 fpm, jointed, blow pipe spyder to be disconnected at first junction, hydraulic power pack, 27' X12" outfeed belt conveyo[more] |
| 230A | Variable frequency cabinet with 3 Leeson drives |
| 231 | (3) 15' 12 strand belt conveyors common |
| 232 | COE MANN-RUSSELL 10' continuous flow lumber edge glue system (RF) press daylight 1/2"-1 1/2" stock thickness. Variable speed, 2-12 fpm, automatic infeed section used for edge gluing 20mm X 36 mm lamels into a charge up to 1220 mmw ahead of the press section with Mann-Russell generator 103 kva, stain[more] |
| 232A | Allen-Bradley 1330 plus variable frequency drive |
| 233 | lot of moulder parts and saw blades |
| 234 | (8) pallets of misc. moulder, glue parts |
| 235 | Western Pneumatics 12" chop saw |
| 236 | 12 ft x 8" belt conveyor with a speed up roll |
| 237 | Panhans 693/SH90 10' beam saw |
| 238 | Stetson-Ross XI10 rip saw |
| 239 | lot of marked electrical conveyor control boxes |
| 240 | Univer 115 ft x 45" power roll case |
| 241 | Toshiba variable frequency drive cabinet 75hp with 2 7.5 variable frequency drives |
| 242 | Anthon 10 ft x 65" power roll case, with 14 ft x 3" three strand transfer deck, 24ft x 21 roll 65" power roll case, |
| 243 | 1999 Anthon CD6 WWS 130 6 head sander 53 1/2" width min max height 155 mm, (4) 100 hp and (2) 50 hp drives with Siemens push button control, S/N 99.2-19 |
| 244 | 2002 400 ft 42 roll 55" outfeed power roll case with twin overhead board feeder stations, 10 ft 6 strand 3" transfer, 115" x 55" roll top scissor lift, 15 ft 22 roll 33" power roll case, hydraulic power pack 8 ft, 14 roll 53" roll case |
| 245 | 2002 Anthon twin 21" cross cut saw ripping station with top hold down, 8 ft overhead pusher, 15 ft 5 strand roller transfer, 14 ft 16 roll |

52" feed table with 4 ft overhead pusher, 54" scoring saw station with 6ft 16 roll outfeed roll case 12" x 14ft belt waste conveyor

| 246 | 2002 Anthon14ft 35 roll 54" roll powered roll case, 112" overhead directional sweep pusher, 30 ft 75 roll 54" power roll case |
|------|---|
| 247 | Advanced scissor lift 8 ft, 2,000 capacity |
| 248 | Reliance Electric 100 hp 1785rpm 405 T-frame motor |
| 249 | 2001 Motoman 400 YR/SP400 A00 400 kg cap robot pallet loader, 2003 Motoman XRC ERCS SP400XRE00 controller, teach pendant, (5) 8 ft x 52" 10 roll pallet loading stations with overhead wrap dispenser |
| 250 | Bulk 242-249 individual or package which ever is greater |
| 251 | 12 ft 4 strand transfer deck with Sew drive |
| 252 | Tilt hoist, mechanical,170" wide 4 arm 4 47" arms 47 stroke with drive |
| 253 | 5 strand 9 1/2 ft transfer deck with drive |
| 253A | Bulk 251-253 individual or package which ever is greater |
| 254 | 2011 Weinig moulder feed table with 68" x 2 1/2" 7 strand cross feed transfer with top and bottom twin speed up rolls, 14 ft bed with push button control |
| 255 | (2) Graco glue pots |
| 256 | lot of foot pedals |
| 257 | Apquip feeder conveyor, 18 ft with twin 3" chains, 4 pneumatic kickers and push button controls |
| 258 | Ogden 150 KW rfs press system feed through slat chain conveyor, Ogden Rfs Protech SB 52 X 240 X 6 press section, 150 kw radio frequency generator, push button control with Schneider touch screen, twin fan aftercooler, 5 hp hydraulic power pack, computer control |
| 259 | 15 ft 10 roll 49" roll case with 171" 5 strand transfer deck with drives |
| 260 | Bulk lot 254-259 individual or package which ever is greater |
| 261 | 2001 Reform 51 travelling head knife grinder 61" x 6" magnetic chuck, S/N 6988 |
| 262 | 1997 Weinig CMA-370 inspection system |
| 263 | Glue mixing dispensing station with 500 lb capacity hoist |
| 264 | Scissor lift 4ft x 8ft 8,000 cap |
| 265 | Glue application table with 14 ft x 23 1/2" slat chain feed table, 20 1/2" twin roll glue application station, 20 ft x 23" slat chain outfeed station |

| 266 | RFS 50 KW rfs press system 20' pusher type infeed table, RFS Protech mod EG48 X 240 X6 s/n 13022 56" X 256" press section, 2018 Ogden mod SB52X240X4 50 kw radio frequency generator, push button control with Schneider touch screen, 20 hp hydraulic power pack, |
|-----|--|
| 267 | MVM SZ75 bandsaw setting machine 40-200 teeth/min, S/N 6604/21 |
| 268 | MVM SX80 bandsaw sharpener bandsaw width 8-80mm, tooth pitch 1-30mm, bandsaw thickness 0.4-2 mm, 9-100 teeth/mm |
| 269 | lot of bandsaw blades 24 ft 7 1/4" x 2" Woodmaster bandsaw blades |
| 270 | lot of bandsaw blades 24 ft 7 1/4" x 2" Woodmaster bandsaw blades- new |
| 271 | lot of bandsaw blades |
| 272 | lot of bandsaw blades |
| 273 | lot Waco resaw blades |
| 274 | quantity of moulder insert teeth Wood bench and grinder |
| 275 | Wright Talon TF- 3 circular saw top and face sharpener , S/N K0712 |
| 276 | 1997 Weinig Rondamat R936 profile grinder , S/N 936-387 |
| 277 | 2002 Weinig mod 970070 inspection system , S/N 96903 |
| 278 | 1990 Weinig Rondamat R935 profile grinder , S/N 935-229 |
| 279 | 1997 Weinig R912 profile grinder with DRO , S/N 912/543 |
| 280 | Wright Talon TF22 circular saw top and face sharpener , S/N F9702 |
| 281 | Quantity of moulder knives and parts |
| 282 | Fittings bins with moulder knives |
| 283 | lot of moulder cutter heads |
| 284 | lot of moulder cutter heads |
| 285 | (3) 2" moulder heads |
| 286 | 7" and 2" moulder heads |
| | |

| 287 | (4) 2 1/4" moulder |
|-----|--|
| 288 | 7" moulder head |
| 289 | 7" moulder head with cutter head |
| 290 | 8 3/4" moulder head |
| 291 | (2) 2" moulder heads with (2) 2 1/4" moulder heads |
| 292 | 4" moulder head with (2) 2 1/4" heads |
| 293 | 6" moulder head with (2) 2/1/4" moulder heads |
| 294 | 6" moulder head with 4" moulder head |
| 295 | 6" moulder head and 2 1/4" moulder head |
| 296 | 6 1/2" moulder head and 2 1/4" moulder head |
| 297 | 5 1/2" moulder head and 2 1/4" moulder head |
| 298 | 5 1/2" moulder head |
| 299 | (4) 2" moulder heads |
| 300 | (2) 4 1/2" moulder heads |
| 301 | (2) 4 1/2" moulder heads |
| 302 | 6 1/4" moulder head and 2 1/4" moulder head |
| 303 | 7" moulder head and 2 1/4" moulder head |
| 304 | 6 1/2" moulder head and 2 1/4" moulder head |
| 305 | (2) 2 1/4" moulder head |
| 306 | 6" moulder head |
| 307 | (2) 4" moulder heads |
| 308 | (2) 4 1/2" moulder heads |
| | |

| 309 | 6 1/4 " moulder heads and 2 1/4" moulder head |
|-----|---|
| 310 | 6 1/4" moulder head and 2 1/4" moulder head |
| 311 | 6 1/2" moulder head and 2 1/4" moulder head |
| 312 | 6 1/2" moulder head and 2 1/4" moulder head |
| 313 | 9" moulder head |
| 314 | 9" moulder head |
| 315 | (2) 4" moulder head |
| 316 | (2) 4 1/2" moulder heads |
| 317 | 5 3/4" moulder head with 2 1/4" moulder head |
| 318 | 6 1/4" moulder head with 2/14" moulder head |
| 319 | 6 1/2" moulder head and 2 1/4" moulder head |
| 320 | 6 1/2" moulder head and 2 1/4" moulder head |
| 321 | 9" moulder head |
| 322 | 7" moulder head and 3 1/2" moulder head |
| 323 | (3) 2 1/4" moulder heads |
| 324 | (3) 2 1/4" moulder heads |
| 325 | (4) 2 1/4" moulder heads |
| 326 | 6" moulder head and 2 1/4" moulder head |
| 327 | (4) 2 1/4" moulder heads |
| 328 | (4) 2 1/4" moulder heads |
| 329 | (4) 2 1/4" moulder heads |
| 330 | (4) 2 1/4" moulder heads |
| | |

| 331 | (2) 4" moulder heads |
|-----|--|
| 332 | (4) 2 1/4" moulder heads |
| 333 | (3) 2 1/4" moulder heads |
| 334 | 6" moulder head and 4" moulder head |
| 335 | (2) 2 1/4" moulder head |
| 336 | (4) 2 1/4" moulder heads |
| 337 | 9" moulder head |
| 338 | (2) 2" moulder heads |
| 339 | (2) 4" moulder heads |
| 340 | 6" moulder head with (2) 2 1/2" moulder heads |
| 341 | 6" moulder head |
| 342 | 6" moulder head |
| 343 | 6" moulder head |
| 344 | 9" moulder head |
| 345 | 12 3/4" moulder head |
| 346 | (2) 2" moulder head and (2) 2 1/4" moulder head |
| 347 | (2) 4" moulder and 2 1/4" moulder head |
| 348 | 4" moulder and (2) 2 1/4" moulder head |
| 349 | (2) 2 1/4" moulder head and (2) 2" moulder heads |
| 350 | 4 " moulder head and 7" moulder head |
| 351 | 12 1/2" moulder head |
| 352 | (4) 2 1/4" moulder heads |
| | |

| 353 | (2) 4" moulder heads and 2 1/4" moulder head |
|-----|--|
| 354 | 4" moulder head with (2) 2 1/4" heads |
| 355 | 4" moulder head with (2) 2 1/4" heads |
| 356 | 7" moulder head |
| 357 | 5 1/4" moulder and (2) 2/14" moulder heads |
| 358 | 9" moulder head |
| 359 | 12" moulder head |
| 360 | (4) 2 1/4" moulder heads |
| 361 | (4) 2 1/4" moulder heads |
| 362 | 5 1/2" moulder with (2) 2 1/4" moulder heads |
| 363 | 5 1/2" moulder with (2) 2 1/4" moulder heads |
| 364 | 4" moulder head with (2) 2 1/4" heads |
| 365 | 9" moulder head |
| 366 | 9" moulder head |
| 367 | 12" moulder head |
| 368 | (4) 2 1/4" moulder heads |
| 369 | (2) 3 3/4" moulder head and 2 1/4" moulder head |
| 370 | 4" moulder head with (2) 2 3/4" heads and 2 1/4 moulder head |
| 371 | 6" moulder and 920 2/14" moulder head |
| 372 | 6" moulder head and (2) 2 1/4" moulder heads |
| 373 | 7" moulder head |
| 374 | 9" moulder head |
| | |

| 375 | 12 1/2" moulder head |
|-----|---|
| 376 | Watkin moulder head set-up stand |
| 377 | 7 " moulder and 6 3/4" moulder head |
| 378 | (2) 7" moulder heads |
| 379 | (2) 5 3/4" moulder heads |
| 380 | Dino high point 12PF bandsaw profiler |
| 381 | (3) 2 1/4" moulder heads |
| 382 | (2) 5 3/4" moulder heads |
| 383 | (2) 5 1/2" moulder heads |
| 384 | 9" moulder head |
| 385 | 7" moulder head |
| 386 | 6 " moulder head with a 4" moulder head |
| 387 | (2) 2 1/2" moulder heads |
| 388 | (2) 2 1/2" moulder heads |
| 389 | (3) 2 1/4" moulder heads |
| 390 | (3) 2 1/4" moulder heads |
| 392 | (2) 2 1/4" moulder heads |
| 393 | (2) 2 1/4" moulder heads |
| 394 | (2) 2 1/4" moulder heads |
| 395 | 7" moulder head |
| 396 | 7" moulder head |
| 397 | 7" moulder head |
| | |

| 398 | 12 1/2" moulder head |
|------|--|
| 399 | Western set-up stand with moulder head set-up stand |
| 400 | Lot of moulder knives and parts |
| 402 | Lot of moulder knives and parts on floor |
| 403 | Waca Centromat profile grinder |
| 403A | Lot of 20" saw blades |
| 404 | Pallet of moulder heads |
| 405 | Pallet of moulder parts |
| 406 | Pallet of knives and saw blades |
| 407 | Steel stand with moulder heads and multi saw blades |
| 407A | Lot of blow pipe throughout plant excluding machine spiders |
| 408 | Lot of cylinders and mixed parts |
| 409 | Graco King XL60-220 airless paint pump |
| 410 | 3 head spray station with pneumatic diaphragm pump & 116" x 12" belt conveyor |
| 411 | Univeyor power roll case 21" wide x 120 ft |
| 412 | 11 1/2" x 60 ft belt conveyor with drive |
| 413 | Makor natural gas drying system 14 ft 23 roll 9" roll case, 8 arm 20" roller transfer, 14 ft 6 strand through feed transfer, 4 strand 5 ft transfer, 14 ft 23 roll 9" powered roll case, Reznor natural gas heater |
| 414 | 2001 Makor ETL-LE UV curing system 9 lamp, push button control, s/n 9018 2003 Makor machine type vacuum coater system s/n 9164 |
| 416 | 1993 Makor CSP4 three head spray system, push button control and diaphragm pump, S/N 4620 |
| 417 | 2021 Renzo Vorgonova VCS97 plaster coating system 18-90 m/min, work piece width min-max 10-180 mm, work piece height min-max 5-100 mm |
| 418 | Hytrol 10" x 93" belt conveyor with drive |
| | |

| 419 | 1995 Makor SCD oven drying system with 16 1/2 ft 25 roll 8 1/2" roll case, 16 1/2 ft 25 roll 8 1/2" outfeed roll case, IBC SL80399 natural gas boiler, John Wood natural gas hot water tank |
|-----|--|
| 420 | 1993 Makor ACA 15' board dryer/stacker with push button control |
| 421 | Pallet of small motors and mixed parts |
| 422 | Fezer type FM30 lengthwise veneer slicer system, push button control, 14ft x 11" belt conveyor |
| 423 | Slicer merry go-round round system consisting of 17 ft 8 roll 11 1/2" roll case, 7 strand 45" x 4" cross belt transfer, 44" 6 strand 4" cross transfer, 17ft 8 roll 11 1/2" roll case, 211" 6 roll 11 1/2" roll case, 17 ft 8 roll 11 1/2" roll case, 44" 6 strand 4" transfer, 6 strand 42" x 4" transfer,[more] |
| 424 | Bulk 420-423 individual or package which ever is greater |
| 425 | 26 ft 8 strand 2" belt transfer deck |
| 426 | 1993 Omeco mod 8R 4.8, Veneer roll drying system 4.8 meter W, 8 section, 4 deck (rebuilt 2020) 8 strand 25' pre position transfer deck, twin grip roll feed stand hydraulic, (8) circulation fans, push button control, Omron touch screen control, (16) Teco/Westinghouse A510 vfd drive controls, two tier[more] |
| 427 | 2023 Miura LX-300SG-16 high pressure boiler system 10' X 32' insulated skid mounted building, natural gas, max input 11,544,000 btu/hr, min input 2,886,000 btu/hr, 10350 lb/hr, heating surface area 611 sq ft, design temp 400F, designed steaming cap 10,350 lb/hr, water softening system, deaerator tan[more] |
| 428 | Bulk package 425-427 individual or package which ever is greater |
| 429 | Innovated Control Systems (ICS) steamer system 8'6" X 45' steel framed, 15' boiler control room, touch screen/push button control, 2007 Hurst job # 0750999 s/n V273-150-21 150 psi, 2760 lbs/hr low pressure packaged boiler, Power flame C3-G-25B burner, deaerator tank, circulation pump, twin track, ki[more] |
| 430 | Dip tank 24ftx 82"x 78" with twin arm hoist |
| 431 | Unscrambler 4ft twin strand flighted |
| 432 | Innovated Control Systems (ICS) Porta-Kiln XL system Twin cell, 52', 4 track, touch screen push button control, Lochinvar boiler mod CBN1257 input rating 1255000, min input rating 720000, output rating 1017360, Beaver 112.5 kva transformer, (2) Teco variable frequency drives, Thermo 2000 mod Buffmax[more] |
| 433 | Koetter mod 10232 dry kiln 26ft x 8ft side load |
| 434 | 2016 Volvo L150H front end loader Plumbed, quick attach mod 85347, 26.5R25 tires, brush guard, light package, rear camera, fire suppression 11,851hrs, S/N VCEL150HA00005476 |
| 435 | 2016 Volvo L150H front end loader Plumbed, quick attach mod 85347, 26.5R25 tires, brush guard, light package, rear camera, fire suppression 11,378 hrs, S/N VCEL150HA00005478 |
| 436 | 2016 Volvo L150H front end loader Plumbed, quick attach mod 85347, 26.5R25 tires, brush guard, light package, rear camera, fire |

suppression, Finning log grapple 11,373 hrs , S/N VCL150HA00005470 $\,$

| 437 | WBM chip bucket 126" quick attach |
|------|---|
| 438 | Chip bucket 126" quick attach |
| 438A | Caterpillar CC4000-LP forklift (parts) |
| 439 | 63" WBM short log grapple |
| 440 | 64" WBM short log grapple |
| 441 | 2014 Hitachi ZX370F-3 heel boom log loader 28 "Double grouser pads, hydraulic tilt cab, brush guard, light package, Isuzu ASZXL07.8HXA engine, 14,375 hrs , S/N 1FFBHJ0XPC0370028 |
| 441A | 2001 Western star tandem axle tractor mod 5964SS Eaton Fuller 18 speed Road Ranger transmission, sleeper, 23,586 kg gvwr, S/N 2WKRDDXH71K968502 |
| 442 | Nissan forklift mod UF06A70V 13,000 lb cap,216" lift, 2 stage lpg cushion tire with Cascade mod C7S-RC roll clamp attachment 2,622 hrs |
| 443 | Nissan forklift mod UF06A70V 13,000 lb cap,216" lift, 2 stage lpg cushion tire with Cascade mod C7S-RC roll clamp attachment 12,932 hrs |
| 444 | 2000 Challenger CG0005075SD wood waste grinder 12' opening top hydraulic ram feed 20hp hydraulic power pack |
| 445 | (2) Hansen 100hp 1770rpm motors with hydraulic cylinders |
| 446 | 16 ft aluminum truck deck |
| 447 | Sullair 25B-150-ACAC 100hp rotary screw compressor |
| 448 | Ingersol Rand 175CFM s/a portable compressor |
| 449 | (2) 14" x 61" saw anvils with wheel |
| 450 | Vollmer CHF210 circular saw sharpener |
| 451 | Williams & White Machine TFHCS2 circular saw sharpener |
| 452 | lot of filing room equipment |
| 453 | Approx. 324 bag dust collector system bottom rotary discharge auger |
| 454 | Cincinnati 5 ft radial alarm drill 25 to 103 rpm T-slot table and 6" machinist vice |
| 455 | Enervas E2BB-2105-3E-D-46 100psig air dryer system |

| 456 | CAE PLT -5X CO2 mini blast system |
|-----|--|
| 457 | Marvel 22" metal cutting band saw with a moulder base and sand blast cabinet |
| 458 | 14 ft diameter cyclone 48 ft tall with 14ft x 3 ft air receiving tank |
| 459 | Sullair 25B-150ACAC 150 hp rotatory screw compressor |
| 460 | Sullair 25S-200LACAC 200hp rotary screw compressor |
| 461 | Quincy QNW1000-F 200 hp rotary screw compressor |
| 462 | Steel lifting platform and misc. steel pipe |
| 463 | Dubois paint spray line mod RSM 50' (parts) |
| 464 | (2) reducer motors |
| 465 | 3 hp feeder |
| 466 | Dust collector system, 30 bag ,20ft Cyclone, Pacific blower 6' diam 200hp |
| 467 | Dust collector system, 27 bag, 20' dia cyclone, 4' dia 60 hp blower |
| 468 | 16"x 30ft belt conveyor and drive |
| 469 | Anderson 75" blower p/w AMGE 250hp high frequency motor |
| 470 | Apsco 3 section dust collector, twin bottom rotary airlock feeders |
| 471 | Gross 50hp wood waste grinder |
| 472 | quantity of blow pipe |
| 473 | lot of (10) 25 ft steel pipe |
| 474 | quantity of steel platforms |
| 475 | (3) 30 ft kiln carts |
| 476 | 14 unit chip bin |
| 477 | (2) 30 unit chip bin with top leveling auger, 8ft and 5ft cyclones |
| | |

| 478 | 10hp hydraulic power pack |
|-----|---|
| 479 | 14 unit chip bin |
| 480 | 30" x 70ft belt conveyor with stand and 7.5hp motor with Radicon reducer |
| 481 | (4) lots of kiln sticks with racks |
| 482 | (3) kiln carts |
| 483 | lot of misc. electrical |
| 484 | lot of misc. ducting |
| 485 | 30 ft cyclone |
| 486 | Allied 60" blower and 150hp drive |
| 487 | Weinig Hydromat 23C 6 head moulder B,S,S,T,T,B |
| 488 | Newness TA.20RH198 log trimmer 20 ft opening line shaft 20 strand through feed transfer 4 ft infeed, 42" outfeed, S/N 97372KA |
| 489 | 15 hp and 2hp hydraulic power pack |
| 490 | (6) pallets of mixed motors |
| 491 | electrical control panel |
| 492 | pallet of rope |
| 493 | 15 hp hydraulic power pack |
| 494 | 10 hp hydraulic power pack |
| 495 | 50 hp hydraulic power pack |
| 496 | 15 hp hydraulic power pack |
| 497 | 3 hp hydraulic power pack with motor and reducer |
| 498 | 25 hp, 30hp and 5hp hydraulic power pack |
| 499 | 30 ft 8 strand transfer deck 3hp drive |
| | |

| 500 | 45" diameter blower approx. 100 hp |
|-----|--|
| 501 | 4ft 3 strand flighted unscrambler |
| 502 | 20ft x 13" belt conveyor |
| 503 | lot of (27) 48" x 1/3/4" x 3/4" kiln sticks |
| 504 | 10 ft x 4ft air receiving tank with 7ft x 3ft air receiving tank |
| 505 | 48" diameter 100hp blower |
| 506 | 9ft diameter cyclone with stand |
| 507 | 18ft 3 strand transfer deck |
| 508 | 6 ft 5 strand transfer deck |
| 509 | 6 1/2ft 5 strand transfer deck with 24" 5 roll even ending roll case |
| 510 | 10 ft 6 strand lugged transfer deck with 4 roll even ending roll case |
| 511 | (5) mixed hydraulic packs |
| 512 | 8 ft diameter cyclone |
| 513 | 7 ft diameter cyclone |
| 514 | 7 ft diameter cyclone |
| 515 | 9 ft diameter cyclone |
| 516 | 111/2" x 25 ft belt conveyor |
| 517 | 4 arm stacker with 13 1/2ft 5 strand through feed transfer (no chain), 102" 5 arm lowering hoist, 36" stroke |
| 518 | lot of 2" poly tube |
| 519 | 30 hp hydraulic power pack |
| 520 | 22" x 18ft belt conveyor |
| 521 | 150 hp motor with 15hp motor SM-Cyclo reducer |
| | |

| 523 | lot of lumber wrap |
|-----|---|
| 524 | General 430 24" planer |
| 525 | lot of marked chain and motors |
| 526 | remaining bone yard material excluding lumber, catwalks, stairs anything marked with orange |
| 527 | (31) bundles of 48" x 1 3/4" x 3/4" kiln sticks |
| 528 | (24) bundles of 48" x 1 3/4" x 3/4" kiln sticks |
| 529 | (14) bundles of 48" x 1 3/4" x 3/4" kiln sticks |
| 530 | (12) bundles of 48" x 1 3/4" x 3/4" kiln sticks |
| 531 | parts moulder |
| 532 | two shelves of mixed new and used parts air bags roller chain |
| 533 | two shelves of mixed new and used parts chives, cylinders, gears |
| 534 | two shelves of mixed new and used parts shafts, pulleys, chives |
| 535 | two shelves of mixed new and used parts, sprockets, pullies, gears, roller chains |
| 536 | two shelves of mixed new and used parts, rings, |
| 537 | two shelves of mixed new and used parts, couplings, spacers, cylinders |
| 538 | two shelves of mixed new and used parts, couplings, chimes |
| 539 | two shelves of mixed new and used parts, hydraulic motors, shafts, camelback chain |
| 540 | lot of V-belts and conveyor belts on wall |
| 541 | lot of new roller chain |
| 542 | lot of conveyor chain, and belting |
| 543 | lot of mixed parts |
| | |